

2016年 英文誌掲載論文

| | | |
|--|---|-------------------------------|
| O-linked β-N-acetylglucosamine modification of proteins is essential for foot process maturation and survival in podocytes. | Ono S, Kume S, Yasuda-Yamahara M, Yamahara K, Takeda N, Chin-Kanasaki M, Araki H, Sekine O, Yokoi H, Mukoyama M, Uzu T, Araki SI, Maegawa H. | Nephrol Dial Transplant. |
| Comparison of baseline characteristics and clinical course in Japanese patients with type 2 diabetes among whom different types of oral hypoglycemic agents were chosen by diabetes specialists as initial monotherapy (JDDM 42). | Fujihara K, Igarashi R, Matsunaga S, Matsubayashi Y, Yamada T, Yokoyama H, Tanaka S, Shimano H, Maegawa H, Yamazaki K, Kawai K, Sone H. | Medicine (Baltimore). |
| Metabolic and hemodynamic effects of sodium-dependent glucose co-transporter 2 inhibitors on cardio-renal protection in the treatment of patients with type 2 diabetes mellitus. | Kashiwagi A, Maegawa H. | J Diabetes Investig. |
| Comparative Effects of Direct Renin Inhibitor and Angiotensin Receptor Blocker on Albuminuria in Hypertensive Patients with Type 2 Diabetes. A Randomized Controlled Trial. | Uzu T, Araki SI, Kashiwagi A, Haneda M, Koya D, Yokoyama H, Kida Y, Ikeuchi M, Nakamura T, Nishimura M, Takahara N, Obata T, Omichi N, Sakamoto K, Shingu R, Taki H, Nagai Y, Tokuda H, Kitada M, Misawa M, Nishiyama A, Kobori H, Maegawa H; Shiga Committee for Preventing Diabetic Nephropathy.. | PLoS One. |
| Hypothalamic AMP-Activated Protein Kinase Regulates Biphasic Insulin Secretion from Pancreatic β Cells during Fasting and in Type 2 Diabetes. | Kume S, Kondo M, Maeda S, Nishio Y, Yanagimachi T, Fujita Y, Haneda M, Kondo K, Sekine A, Araki SI, Araki H, Chin-Kanasaki M, Ugi S, Koya D, Kitahara S, Maeda K, Kashiwagi A, Uzu T, Maegawa H. | EBioMedicine. |
| Hyperglycemia Induces Skin Barrier Dysfunctions with Impairment of Epidermal Integrity in Non-Wounded Skin of Type 1 Diabetic Mice. | Okano J, Kojima H, Katagi M, Nakagawa T, Nakae Y, Terashima T, Kurakane T, Kubota M, Maegawa H, Udagawa J. | PLoS One |
| Stearoyl-CoA Desaturase-1 Protects Cells against Lipotoxicity-Mediated Apoptosis in Proximal Tubular Cells. | Iwai T, Kume S, Chin-Kanasaki M, Kuwagata S, Araki H, Takeda N, Sugaya T, Uzu T, Maegawa H, Araki SI. | Int J Mol Sci |
| Concentrations of Water-Soluble Vitamins in Blood and Urinary Excretion in Patients with Diabetes Mellitus. | Iwakawa H, Nakamura Y, Fukui T, Fukuwatari T, Ugi S, Maegawa H, Doi Y, Shibata K. | Nutr Metab Insights. |
| Large-scale survey of rates of achieving targets for blood glucose, blood pressure, and lipids and prevalence of complications in type 2 diabetes (JDDM 40). | Yokoyama H, Oishi M, Takamura H, Yamasaki K, Shirabe SI, Uchida D, Sugimoto H, Kurihara Y, Araki SI, Maegawa H. | BMJ Open Diabetes Res Care. |
| Associations of serum LDL particle concentration with carotid intima-media thickness and coronary artery calcification. | Zaid M, Miura K, Fujiyoshi A, Abbott RD, Hisamatsu T, Kadota A, Arima H, Kadokawa S, Torii S, Miyagawa N, Suzuki S, Takashima N, Ohkubo T, Sekikawa A, Maegawa H, Horie M, Nakamura Y, Okamura T, Ueshima H; SESSA Research Group.. | J Clin Lipidol. |
| MicroRNA148b-3p inhibits mTORC1-dependent apoptosis in diabetes by repressing TNFR2 in proximal tubular cells. | Kuwagata S, Kume S, Chin-Kanasaki M, Araki H, Araki S, Nakazawa J, Sugaya T, Koya D, Haneda M, Maegawa H, Uzu T. | Kidney Int. |
| Evaluation of a Novel Glucose Area Under the Curve (AUC) Monitoring System: Comparison with the AUC by Continuous Glucose Monitoring. | Ugi S, Maegawa H, Morino K, Nishio Y, Sato T, Okada S, Kikkawa Y, Watanabe T, Nakajima H, Kashiwagi A. | Diabetes Metab J. |
| Baseline characteristics and interim (3-month) efficacy and safety data from STELLA-LONG TERM, a long-term post-marketing surveillance study of ipragliflozin in Japanese patients with type 2 diabetes in real-world clinical practice. | Maegawa H, Tobe K, Tabuchi H, Nakamura I. | Expert Opin Pharmacother. |
| Lifetime cigarette smoking is associated with abdominal obesity in a community-based sample of Japanese men: The Shiga Epidemiological Study of Subclinical Atherosclerosis (SESSA). | Fujiyoshi A, Miura K, Kadokawa S, Azuma K, Tanaka S, Hisamatsu T, Arima H, Kadota A, Miyagawa N, Takashima N, Ohkubo T, Saitoh Y, Torii S, Miyazawa I, Maegawa H, Murata K, Ueshima H; SESSA Research Group.. | Prev Med Rep. |
| Amla Enhances Mitochondrial Spare Respiratory Capacity by Increasing Mitochondrial Biogenesis and Antioxidant Systems in a Murine Skeletal Muscle Cell Line. | Yamamoto H, Morino K, Mengistu L, Ishibashi T, Kiriyama K, Ikami T, Maegawa H. | Oxid Med Cell Longev |
| Relationship of Insulin Resistance to Prevalence and Progression of Coronary Artery Calcification Beyond Metabolic Syndrome Components: Shiga Epidemiological Study of Subclinical Atherosclerosis. | Yamazoe M, Hisamatsu T, Miura K, Kadokawa S, Zaid M, Kadota A, Torii S, Miyazawa I, Fujiyoshi A, Arima H, Sekikawa A, Maegawa H, Horie M, Ueshima H; SESSA Research Group.. | Arterioscler Thromb Vasc Biol |
| Data set for renal sinus fat volume and visceral adipose tissue volume on computed tomography. | Murakami Y, Nagatani Y, Takahashi M, Ikeda M, Miyazawa I, Morino K, Ohkubo T, Maegawa H, Nitta N, Sakai H, Nota H, Ushio N, Murata K. | Data Brief |
| Replication Study in a Japanese Population of Six Susceptibility Loci for Type 2 Diabetes Originally Identified by a Transthectic Meta-Analysis of Genome-Wide Association Studies. | Matsuba R, Imamura M, Tanaka Y, Iwata M, Hirose H, Kaku K, Maegawa H, Watada H, Tobe K, Kashiwagi A, Kawamori R, Maeda S. | PLoS One |
| Emerging role of mammalian autophagy in ketogenesis to overcome starvation. | Takagi A, Kume S, Maegawa H, Uzu T. | Autophagy |